

Automatic Flat Iron Metal Ring Making Machine Numerical Control For Lampshade

Basic Information

Place of Origin: Guangdong, ChinaBrand Name: Jin Hongxiang

• Certification: CE

Model Number: JQ2-10MM
Minimum Order Quantity: 1 set
Price: Negotiable

Packaging Details: Export wooden case
Delivery Time: 5-10 days or negotiatio
Supply Ability: 100 Sets per Month



Product Specification

• Function: Flat Iron Ring Punching

Control System:
PLC Display Screen, Servo Motor

• Applicable Industries: Lampshade, Fan Net Cover, Commodity

Shelf, Flower Rack,

Wire Size: Ø2-10mmWarranty: 1 Year

Advantage: High Effecient Simple Operation

Control: Numerical ControlVoltage: 380V/50HZ

• Highlight: Flat Iron Metal Ring Making Machine,

Lampshade Metal Ring Making Machine

Product Description

Full automatic looping machine for lampshade products

Alias:

flat iron servo circle making machine, square iron fast circle making machine, barrel hoop circle making machine, stove circle making machine, I ampshade circle making machine, special-shaped material circle making machine, lampshade looping circle making machine, looping machine

This type of looping machine is customized, and it needs to lift the standard drawing or physical object of the product. Customized as required.

Double head punching cylinder, punching faster.

Servo feeding is fast and accurate, hydraulic cutting, cutting iron wire more forcefully **Performance characteristics**

1. Servo feeding - fast and accurate, speed adjustable. Oil pressure cut-off - large force, easy and powerful line cutting.



2. PLC programming + man-machine interface display, easy to operate and learn. High end servo + planetary reducer.



3. Precision CNC turning and milling. Gear, shaft, wire feeding wheel and other finishing, special hardening, surface grinding and polishing, high hardness, smooth and wear-resistant.



4. Omron encoder, high pulse, accurate feeding and fast response.



Technical parameters of servo circle machine

Model	JQ2-6MM	JQ2-8MM	JQ2-10MM
Wire diameter range (MM)	Hard wire2-4 lexible cord2-6	Hard wire2-6 Flexible cord2-8	Hard wire2-8 Flexible cord2- 10
Servo device	1KW+5B	1.5KW+5B	2.3KW+10B
Hydraulic device	1.5KW	2.2KW	2.2KW
Maximum wire feeding speed(M/MIN)	70	60	50
Circle diameter range (MM)	50-800	50-800	50-800
Circle diameter Tolerance MM	±0.3	±0.3	±0.3
Axis	2	2	4
Dimension(CM)	145*75*142	145*75*142	175*75*142

Multi function looping machine, widely used, can be used as long as it is a flat iron circle or a flat iron circular arc Convenient setting, automatic counting, punching cylinder can be one cylinder or two cylinders according to needs



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China