

Fast 1500MM Hydraulic Trimming Machine 7.5KW PV2 For Pet Cage Mesh

Basic Information

Place of Origin: Guangdong, ChinaBrand Name: Jin Hongxiang

Certification: CE
Model Number: 7.5KW
Minimum Order Quantity: 1 set
Price: Negotiable

Packaging Details: Export wooden caseDelivery Time: 5-10 days or negotiation

Payment Terms: L/C, T/T

Supply Ability: 100 Set/Sets per Month



Product Specification

Condition: New

Machine Type: Trimming Machine

Weight (KG): 980Warranty Of Core 1 Year

Components:

Control System: Hydraulic SystemFunction: Trimming Mesh Edge

Advantage: The Whole Machine Is Stable And Fast, And

Can Be Trimmed Within 1.5m At A Time.

• Port: Shenzhen, China

• Highlight: 7.5KW Hydraulic Trimming Machine,

PV2 Hydraulic Trimming Machine



Product Description

Fast Trimming Machine 1500MM For pet cage mesh



Trim Style



Function:

This machine is used to trim the protruding points of iron wire or cut off the excess iron wire ends. A mesh less than 1.5 meters long can be completed at one time in only 1 second. Really fast, simple and easy.

Application:

storage rack net, iron wire fence, net fan net cover, kitchen and bathroom rack supplies, refrigerator, oven basket, pet cage, etc

Name:

JX mesh trimming machine, trimming machine, hydraulic trimming machine, 1.5m long trimming machine, trimming machine, wire cutting machine, fast trimming machine, high-speed trimming machine


Performance characteristics:

1. This hydraulic trimming machine is specialized in trimming the mesh with large edges. The mesh length can be 1m or more


at one time. Within the allowable range, a large mesh can be repaired only four times.

- 2. The machine has a large mesh support adjustment frame, which makes it easier and easier to operate. It takes only 2 seconds to cut each side within 1m, which is very simple and efficient.
- 3. Large motor, large oil pump, fast start and strong power. You are a good helper for the ideal large order. Thickened sheet metal, specially fixed, the whole machine is very firm and stable.
- 4. The cutter adopts special materials for special treatment, which is very durable, the cutting products are neat, and can be treated at a certain angle.
- 5. Inching start, set the position, step on the foot, and the switch works once, which is very random.

Structure show



Wire mesh display







The technical parameters of quick repair press trimming machine

model	JX-1000	JX-1250	JX-1500
Hydraulic system	5.5KW+PV2	5.5KW+PV2	7.5KW+PV2
Number of cylinders	100*50-50*1	100*50-50*1	100*50-50*2
Maximum cutting length at one time MM	≤1000	≤1250	≤1500
cutting speed M/MIN	1	1	1
Overall dimension (L x W x H)	125*110*190	150*110*190	175*110*190
weight KG	1000	1170	1500

Warm tip:

our products are constantly upgrading and adjusting. If the pictures displayed are different from the real object, the real object shall prevail, and will be confirmed when placing the order.

Dongguan Jinghongxiang Automation Equipment Co., Ltd.

13925780098

jhx16888@gmail.com

wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China